

Kure Beach Stormwater and Environmental Committee Meeting Minutes: 07/09/2013

Recorded by: ML

Present members: John Gordon (JG), Eric Vann (EV), Ted Gragg (TG), Barry Nelder (BM), Thomas Moffitt (TM), Mo Linquist (ML)

Absent: Fred Edgecomb (FE), Emilie Swearingen (ES)

Guest: John Batson (Town Building Inspector)

Topic	DISCUSSION	ACTION TO TAKE
Call to order	at: 4:07 ET By: JG	
June Minutes	Approved	
Discussion with John Batson on Town Rules (Town Building Inspector)	<ul style="list-style-type: none"> • ‘Shallow’ irrigation wells do not require a permit, but must be 25 feet from the foundation, certain distance from sewer clean out and stormwater drainage (DWQ state law) which precludes most lots in KB. Setbacks and lot size biggest problems. • Gov Perdue nullified state law for second meter for irrigation. Explore with council if irrigation water bill has to have a sewer cost? • Rain barrel? Permit must be met for rain harvesting systems to make sure setbacks are met. Electrical systems also must get permit from NH electrical system. • Underground irrigation system does not need permits. • Disturb 5,000 square feet. • EPA guidelines and rules regarding property owners dumping Hazardous Wasted into water system. Violates State Laws. 	
Future Speakers and Topics	Richard Harris from Cape Fear Rainwater Harvesting-can he come in September? Bridget Munger- Mitch Woodward Cooperative Extension	ML to contact Harris
Future Projects and Possible Funding Sources	Nitrogen runoff from fertilizer causing sand to become green (algae blooms) coming from upstream river. Additional Infiltration system - Seawatch outflow? Meeting with Sonny and DOT? Clean Water Trust Fund must be in Feb 1.	ES ask Sonny to come to October meeting
Next meeting	No August meeting. Next meeting Tuesday September 10 th 4pm.	
Adjournment	Meeting adjourned at 5:30pm JG.	